

[2021]

LIVING THE BIKE LIFE.



AFTERMARKET CYCLING COMPONENTS

MADE IN ITALY

URSUS 

We design and
produce bicycle
components
since 1967



WHO WE ARE

Ursus SpA is an Italian company, with registered office in Rosà (Vicenza), which has been specializing for over 50 years in the field of metal manufacturing and components for bicycles.

At the beginning of the 2000s the company's business also opened up to the world of racing bikes and mountain bikes with the production of wheels and other high-end components.

A successful and effective experiment enabled Ursus to enter the world of professional cycling and it now collaborates with various professional road bicycle racing teams.



A GLOBAL COMPANY

We are Italians: our fathers started precision machining metals for cycling appliances 53 years ago. They taught us the value of expertise and how Passion was the essence of their finest projects.

We are Europeans: by sharing our technical knowledge with international partners and pro riders, we specialized ourselves over the

years in production of high-end components for cycling.

We are worldwide: Customer Satisfaction and Innovation seen as essential elements of business, opened us the doors of internationality. We create customer-oriented products and services ready to be marketed all around the world.

SUSTAINIBILITY

Energy saving and environmental protection have always been essential principles of the Ursus' philosophy.

In our plants we have chosen to use only energy from renewable sources and we work to ensure that each new project has a reduced environmental impact.

A commitment necessary today to safeguard the world of tomorrow, that of our children.



ISO CERTIFICATIONS

The ISO (International Organization of Standardization) attests to our adherence to international standards and are strategic aids aiming at reducing cost by minimizing waste, errors and optimizing internal productivity.

**COMPANY WITH
MANAGEMENT SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =
= ISO 14001 =**



|  | COLORS | LIGHT | STRONG | ADJUSTABLE | ADJUSTABLE W/O TOOLS | FIX | E - BIKES | MTB / TRK BIKES | CARGO BIKES | CITY BIKES | KIDS BIKES | FOLDING BIKES | PAGE |
|---|--------|-------|--------|------------|----------------------|-----|-----------|-----------------|-------------|------------|------------|---------------|------|
| DOUBLE KICKSTANDS | | | | | | | | | | | | | |
| JUMBO EVO | ● | | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | 8 |
| JUMBO | ● | | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | 9 |
| HOPPER | ● | | ✓ | | | ✓ | ✓ | | ✓ | ✓ | | | 10 |
| BIG FOOT | ● | | ✓ | | | ✓ | ✓ | ✓ | | ✓ | | | 11 |
| CENTRAL KICKSTANDS | | | | | | | | | | | | | |
| KAISER | ●○ | | ✓ | ✓ | | | ✓ | | ✓ | | | | 14 |
| POWER | ● | | ✓ | ✓ | | | ✓ | | ✓ | | | | 14 |
| KING EVO | ●○ | | ✓ | ✓ | | | ✓ | | | ✓ | | | 15 |
| KING | ●○ | | ✓ | ✓ | | | ✓ | | | ✓ | | | 16 |
| KING EVO XL | ● | | ✓ | ✓ | | | ✓ | | | ✓ | | | 17 |
| WAVE | ●○ | | ✓ | ✓ | | | ✓ | | | ✓ | | | 18 |
| QUEEN | ●○ | ✓ | | ✓ | | | | ✓ | | ✓ | | | 19 |
| MOOI | ●○ | ✓ | | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | 20 |
| EASY | ● | ✓ | | ✓ | ✓ | | | ✓ | | ✓ | | | 21 |
| EASY MINI | ● | ✓ | | ✓ | ✓ | | | | | | ✓ | ✓ | 22 |
| KING MINI | ● | | ✓ | ✓ | | | ✓ | ✓ | | | ✓ | ✓ | 22 |
| ELEGANCE ADJ | ● | ✓ | | ✓ | | | | | | ✓ | ✓ | | 24 |
| ELEGANCE | ●○ | ✓ | | | | ✓ | | | | ✓ | | | 24 |
| REAR KICKSTANDS | | | | | | | | | | | | | |
| KING EVO REAR | ● | | ✓ | ✓ | | | ✓ | | | | | | 15 |
| KING REAR | ● | | ✓ | ✓ | | | ✓ | | | | | | 16 |
| KING EVO XL REAR | ● | | ✓ | ✓ | | | ✓ | | | | | | 17 |
| WAVE REAR | ● | | ✓ | ✓ | | | ✓ | | | | | | 18 |
| QUEEN REAR | ● | ✓ | | ✓ | | | | ✓ | | | | | 19 |
| MOOI REAR | ● | ✓ | | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | 20 |
| EASY MASTER STAY | ● | ✓ | | ✓ | ✓ | | | ✓ | | ✓ | | | 21 |
| KING MINI REAR | ● | | ✓ | ✓ | | | ✓ | ✓ | | | | ✓ | 23 |

80 JUMBO EVO

 International patent
 USA patent
 80 Kg
 5 pcs
 7.6 Kg

RECOMMENDED:

- E-BIKES
- CARGO BIKES
- MAMA BIKES
- POSTAL BIKES



<< extra wide movement >>



FEATURES

- 50 cm wide when legs are expanded
- 20 cm wide when legs are folded
- Strong head material
- Available for 26" (H 275 mm) and 28" (H 300 mm) versions
- Capacity load 80 kg
- Supplied with strong alloy plate + conic washer + M10x75 screw + M10x65 screw

Article codes

80275VN00S-A01 | JUMBO EVO - 275mm - black
80300VN00S-A01 | JUMBO EVO - 300mm - black

80 JUMBO

 Best seller
 International patent
 USA patent
 100 Kg
 5 pcs
 7.6 Kg

RECOMMENDED:

- E-BIKES
- CARGO BIKES
- MAMA BIKES
- POSTAL BIKES



<< extra wide movement >>



FEATURES

- 40 cm wide when legs are expanded
- 20 cm wide when legs are folded
- Strong head material
- Available for 26" (H 275 mm) and 28" (H 300 mm) versions
- Capacity load 100 kg
- Supplied with strong alloy plate + conic washer + M10x75 screw + M10x65 screw

Article codes

80VN10S-A03 | JUMBO - 275mm - black
80VN20S-A03 | JUMBO - 300mm - black

83 HOPPER






International patent 50 Kg 5 pcs 6.5 Kg

RECOMMENDED:

- E-BIKES
- CARGO BIKES
- MAMA BIKES
- POSTAL BIKES



<< extra wide movement >>



STEEL DOUBLE KICKSTAND

100% steel, "Hopper" has the same patented movement of "Jumbo". Strength, practicality and a competitive price are the main characteristics of this product.

Hopper has been developed to perfectly fit Mamma bikes and E-bikes needs.

FEATURES

- 40 cm wide when legs are expanded
- 20 cm wide when legs are folded
- Available for 26" (H 275 mm) and 28" (H 300 mm) versions
- Capacity load 50 kg
- Supplied with strong alloy plate + conic washer + M10x75 screw + M10x65 screw

Article codes

83VN10S-A03 | HOPPER - 275mm - black
83VN20S-A03 | HOPPER - 300mm - black

87 BIG FOOT





50 Kg 5 pcs 4 Kg

RECOMMENDED:

- E-BIKES
- MAMA BIKES
- TRK BIKES
- CITY BIKES



ALLOY DOUBLE KICKSTAND

100% aluminium, designed to be equipped on trekking and city bikes. Available for 26" and 28".

FEATURES

- Strong head material
- Available for 26" (H 275 mm) and 28" (H 300 mm) versions
- Capacity load 50 kg
- Extra large plastic foot for strong standing
- Supplied with strong alloy plate + conic washer + M10x75 screw + M10x65 screw

Article codes

87VN10S-A03 | BIG FOOT - 275mm - black
87VN20S-A03 | BIG FOOT - 300mm - black



69 KAISER

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 55 Kg 20 pcs 13.8 Kg Best for E - BIKES



FEATURES

- Great Stability
- Wide angle
- Suitable for 26" and 28" version
- Crank Bumper protection
- Length-adjustability innovative system with 2 fixing screws
- Steel components with corrosion resistance up to 720h in salt spray tests
- Capacity load 55 kg

Article codes

69VN00S-A01 | KAISER - black
69VS00S-A01 | KAISER - silver

94 POWER

ALLOY ADJUSTABLE CENTRAL KICKSTAND



55 Kg 15 pcs 8,6 Kg Best for E - BIKES



FEATURES

- Great stability
- Extra wide opening angle
- Suitable for 26" and 28"
- Adjustable length on the back side of the foot

Article codes

94VX00S-A01 | POWER - black

78 KING EVO

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 35 Kg 20 pcs 6,9 Kg Best seller



FEATURES

- Available in black and silver version
- Extreme stability
- Steel components with corrosion resistance up to 720h in salt spray tests
- Good stability performance thanks to the modern foot
- Suitable for 24", 26" and 28"

Article codes

78VN50S-A01 | KING EVO - black
78VS51S-A01 | KING EVO - silver

R78 KING EVO REAR

ALLOY ADJUSTABLE REAR KICKSTAND



International patent 35 Kg 20 pcs 7,7 Kg Best for E - BIKES Best seller



FEATURES

- Steel components with corrosion resistance up to 720h in salt spray tests
- Perfect stability
- Optimized performing plastic foot
- Available with 18 mm - 40 mm fixing plate
- Suitable for 24", 26" and 28"



18 mm



40 mm

Article codes

78VN50R-A01 | KING EVO REAR - 18mm - black
78VN51R-A01 | KING EVO REAR - 40mm - black

78 KING

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 35 Kg 20 pcs 6.9 Kg



FEATURES

- Available in black and silver version
- Extreme stability
- Steel components with corrosion resistance up to 720h in salt spray tests
- Good stability performance thanks to the modern foot
- Suitable for 24", 26" and 28"

Article codes

78VN00S-A01 | KING - black
78VS01S-A01 | KING - silver

R78 KING REAR

ALLOY ADJUSTABLE REAR KICKSTAND



International patent 35 Kg 20 pcs 7.7 Kg Best for E - BIKES



FEATURES

- Steel components with corrosion resistance up to 720h in salt spray tests
- Crank-bumper plastic protection
- Perfect stability
- Optimized performing plastic foot
- Available with 18 mm - 40 mm fixing plate
- Suitable for 24", 26" and 28"



18 mm



40 mm

Article codes

78VN00R-A01 | KING REAR - 18mm - black
78VN01R-A01 | KING REAR - 40mm - black

78 KING EVO XL

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 35 Kg 15 pcs 6.9 Kg



FEATURES

- Suitable for 27.5", 28" and 29"
- EXTRA LONG
- Extreme stability
- Steel components with corrosion resistance up to 720h in salt spray tests
- Good stability performance thanks to the modern foot

Article codes

78VN56S-A01 | KING EVO XL - black

R78 KING EVO REAR XL

ALLOY ADJUSTABLE REAR KICKSTAND



International patent 35 Kg 15 pcs 7.7 Kg



FEATURES

- Suitable for 27.5", 28" and 29"
- EXTRA LONG
- Steel components with corrosion resistance up to 720h in salt spray tests
- Perfect stability
- Available with 18 mm - 40 mm fixing plate



18 mm



40 mm

Article codes

78VN54R-A01 | KING EVO REAR XL - 18mm - black
78VN53R-A01 | KING EVO REAR XL - 40mm - black

81 WAVE

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 35 Kg 20 pcs 6.9 Kg



FEATURES

- Available in black and silver version
- Steel components with corrosion resistance up to 720h in salt spray tests
- Crank-bumper plastic protection
- Perfect stability
- Optimized performing plastic foot
- Suitable for 24", 26" and 28"

Article codes

81VN00S-A01 | WAVE - black
81VS01S-A01 | WAVE - silver

R81 WAVE REAR

ALLOY ADJUSTABLE REAR KICKSTAND



International patent 35 Kg 20 pcs 8.7 Kg Best for E - BIKES



FEATURES

- Steel components with corrosion resistance up to 720h in salt spray test
- Crank-bumper plastic protection
- Perfect stability
- Optimized performing plastic foot
- Available with 18 mm - 40 mm fixing plate
- Suitable for 24", 26" and 28"



18 mm



40 mm

Article codes

81VN00R-A01 | WAVE REAR - 18mm - black
81VN01R-A01 | WAVE REAR - 40mm - black

77 QUEEN

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 25 Kg 20 pcs 8.4 Kg



FEATURES

- Available in black and silver version
- Steel components with corrosion resistance up to 720h in salt spray tests
- Suitable for 24", 26" and 28"

Article codes

77VN00S-A01 | QUEEN - black
77VS00S-A01 | QUEEN - silver

R77 QUEEN REAR

ALLOY ADJUSTABLE REAR KICKSTAND



International patent 25 Kg 20 pcs 7.3 Kg Best for E - BIKES



FEATURES

- Steel components with corrosion resistance up to 720h in salt spray tests
- Available with 18 mm - 40 mm fixing plate
- Suitable for 24", 26" and 28"



18 mm



40 mm

Article codes

77VN00R-A01 | QUEEN REAR - 18mm - black
77VN01R-A01 | QUEEN REAR - 40mm - black

90 MOOI

ALLOY ADJUSTABLE CENTRAL KICKSTAND



FEATURES

- Available in black and silver version
- Steel components with corrosion resistance up to 720h in salt spray tests
- Perfect stability
- No tools to adjust
- Suitable for 24", 26" and 28"

Article codes

90VN00S-A01 | MOOI - black
90VS00S-A01 | MOOI - silver

R90 MOOI REAR

ALLOY ADJUSTABLE REAR KICKSTAND



FEATURES

- Steel components with corrosion resistance up to 720h in salt spray tests
- Perfect stability
- No tools to adjust
- Available with 18 mm and 40 mm fixing plate
- Suitable for 24", 26" and 28"



18 mm



40 mm

Article codes

90VN00R-A01 | MOOI REAR - 18mm - black
90VN01R-A01 | MOOI REAR - 40mm - black

92 EASY

ALLOY ADJUSTABLE CENTRAL KICKSTAND



FEATURES

- Steel components with corrosion resistance up to 720h in salt spray tests
- Perfect stability
- No tools to adjust
- Suitable for 24", 26" and 28"

Article codes

92VN00S-A01 | EASY - black

RT92 EASY MASTER STAY

ALLOY ADJUSTABLE CHAINSTAY KICKSTAND



FEATURES

- Assembling on OVAL chainstays
- Steel components with corrosion resistance up to 720h in salt spray tests
- Perfect stability
- No tools to adjust the length
- Adjustable for:
335 mm: 24", 26" end 28" bikes
355 mm: 27.5", 28" end 29" bikes

Article codes

92VN01T-A01 | EASY MASTER STAY - 335mm - black
92VN00T-A01 | EASY MASTER STAY - 355mm - black

92 EASY MINI

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 25 Kg 20 pcs 6,5 Kg Best seller



FEATURES

- Children's bicycle kickstand
- Steel components with corrosion resistance up to 720h in salt spray test
- Perfect stability
- No tools to adjust
- Suitable for 16", 20" and 24"

Article codes

92VN03S-A01 | EASY MINI - black

78 KING MINI

ALLOY ADJUSTABLE CENTRAL KICKSTAND



International patent 35 Kg 20 pcs. 7 kg Best for E - BIKES



FEATURES

- Best for E-Folding Bikes
- Finish: Painted matt black
- Extreme stability
- Steel components with corrosion resistance up to 720h in salt spray test
- Good stability performance thanks to the modern foot
- Suitable for 16", 20" and 24"

Article codes

78VN52S-A01 | KING MINI - black

R78 KING MINI REAR

ALLOY ADJUSTABLE REAR KICKSTAND



International patent 35 Kg 20 pcs. 7 kg Best for E - BIKES




FEATURES

- Best for E-Folding Bikes
- Finish: Painted matt black
- Extreme stability
- Steel components with corrosion resistance up to 720h in salt spray test
- Good stability performance thanks to the modern foot
- Suitable for 16", 20" and 24"
- Available with 18mm and 40mm fixing plate

Article codes

78VN56R-A01 | KING MINI REAR - 18mm - black
78VN58R-A01 | KING MINI REAR - 40mm - black



76 ELEGANCE ADJ

ALLOY ADJUSTABLE CENTRAL KICKSTAND



25 pcs



11,5 Kg

MAX
LOAD

25 Kg



FEATURES

Alloy adjustable kickstand with steel leg.
Finish: painted matt black.

Available in 3 different sizes:

- extra short for 16" 18"
- short for 20" 22"
- medium for 24" 26" 28"

Article codes

76NV005-A01 | ELEGANCE ADJ extra short size - black
76NV000-A01 | ELEGANCE ADJ short size - black
76NV001-A01 | ELEGANCE ADJ medium size - black

70 ELEGANCE

ALLOY CENTRAL FIX KICKSTAND



25 pcs



6,5 Kg

MAX
LOAD

25 Kg



FEATURES

Alloy fix kickstand.

- Available in black paint or silver color.
- Suitable for 26" and 28"

Article codes

70300CV02-A01 | ELEGANCE - 28", 300 mm - silver
70300CV03-A01 | ELEGANCE - 28", 300 mm - black





URSUS

URSUS S.p.A. si riserva il diritto di apportare tutte le modifiche che si rendessero opportune o necessarie al miglioramento del prodotto senza darne alcun preavviso. Tutti i diritti riservati.

URSUS S.p.A. reserves the right to make all modifications necessary for improving products, without any notice. All rights reserved.



URSUS 

URSUS S.p.A.
Via A. Manzoni 8,
36027 Rosà (Vicenza)
ITALY

Phone: +39 0424 580007
Fax: +39 0424 581313
Mail: ursus@ursus.it

**COMPANY WITH
MANAGEMENT SYSTEM
CERTIFIED BY DNV GL**

**= ISO 9001 =
= ISO 14001 =**



[linkedin.com/company/ursus-spa/](https://www.linkedin.com/company/ursus-spa/)



[facebook.com/UrsusCycling](https://www.facebook.com/UrsusCycling)



[youtube.com/c/UrsusCycling](https://www.youtube.com/c/UrsusCycling)



[@ursuscycling](https://www.instagram.com/ursuscycling)



URSUS.IT